

NEW TOWN

DESIGNER ADAM NATHANIEL FURMAN

Product code reference guide	xNT_Mxxx = Mixed version (includes both plain and ridged tiles)
	xNT_Pxxx = Plain tiles
	xNT_Rxxx = Ridged tiles
Clay body	This collection can be produced using either Heritage clay (TNT_) or Vitreous clay (MTN_) , depending on the technical requirements of the project. Vitreous clay is recommended for more demanding environments, such as outdoor applications or full water immersion (e.g. swimming pools). Please note that the final color of the finish may vary slightly depending on the clay body.
Dimensions	Refer to the drawings below
Sheets required	11,4 sheets per m ² (≈ 1.06 sheets per sq ft)
Tile thickness	10 mm (0.39")
Available finishing	- Gloss: smooth and shiny - Satin: soft sheen, semi-matte - Iridescent: color-shifting surface with light reflection - Metallic: real metal or PVD coating is used depending on the application
Suitable for:	The product range includes options for indoor and outdoor use. Verify the intended application when selecting the version
Mounting:	Mesh-mounted and ready for installation

Tile dimensions:


TNT_A



72 mm - 2,83"

72 mm - 2,83"

TNT_B




147 mm - 5,74"

TNT_C



147 mm - 5,74"

TNT_D



62 mm - 2,44"


TNT_AR



72 mm - 2,83"

72 mm - 2,83"

TNT_BR



147 mm - 5,74"

TNT_CR



147 mm - 5,74"

Note: This is a handcrafted product; therefore, slight variations in size, flatness, surface texture, and shade may occur. These characteristics are inherent to the artisanal nature of the material and should not be regarded as defects. As dimensions may differ slightly from those stated in the technical sheet, Botteganove will ensure that the number of sheets supplied accurately corresponds to the surface area to be covered. Botteganove Srl reserves the right to modify this data sheet without prior notice.




Botteganove


NEW TOWN

DESIGNER ADAM NATHANIEL FURMAN

Standard sheet composition – TNT_M
Mixed version (includes both plain and ridged tiles)



Sample installation pattern for 1.05 m² – Mixed version (includes both plain and ridged tiles)
Other installation patterns can be developed on request.
For custom solutions, please contact our technical department.




Botteganove


NEW TOWN

DESIGNER ADAM NATHANIEL FURMAN

Standard sheet composition – TNT_P
Plain version (includes only plain tiles)



Sample installation pattern for 1.05 m² – Plain version (includes only plain tiles)
Other installation patterns can be developed on request.
For custom solutions, please contact our technical department.




Botteganove


NEW TOWN

DESIGNER ADAM NATHANIEL FURMAN

Standard sheet composition – TNT_R
Ridged version (includes only ridged tiles)



Sample installation pattern for 1.05 m² – Ridged version (includes only ridged tiles)
Other installation patterns can be developed on request.
For custom solutions, please contact our technical department.



Botteganove

NEW TOWN

DESIGNER ADAM NATHANIEL FURMAN

PACKING

Standard packing applies to both heritage and vitreous clay versions

Number of sheets per box	11
Coverage per box:	0,91 m ² 9,8 ft ²
Box weight	≈ 17 kg
Boxes per pallet (max):	42
Total coverage per pallet	38,5 m ² 414,41 ft ²
Maximum weight per pallet:	≈ 730 kg
Pallet overall dimensions (max):	82 x 122 x 135 cm (L x W x H)

SHIPPING PACKAGING GUIDELINES

For large, medium, and small shipments, we use wooden crates to provide extra protection against vibration, shock, and shifting during transport.

For large and medium shipments, we offer stackable crates to optimize shipping and storage space, helping to reduce transportation costs.

Wooden crates also provide an additional level of security, as they are typically more difficult to open than palletized loads..

GUIDELINES FOR INSTALLATION AND MAINTENANCE

Guidelines for installation and maintenance are always included with our products. They provide essential precautions and detailed instructions on how to properly install and maintain our tiles and mosaics. **Please make sure to read these instructions carefully before starting the installation.** For further assistance, don't hesitate to contact our technical department.



Botteganove